

LISSÉ Hand shower set with individual rosettes - Chrome

27 803 845 Product version from 7/1/2022



- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 78mm
- rosette for shower holder 60 x 78mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

	Chrome	27 803 845-00 0050
	Brushed Platinum	27 803 845-06 0050
	Dark Chrome	27 803 845-19 0050
	Brushed Light Gold	27 803 845-27
	Brushed Light Gold	27 803 845-27 0050
	Matte Black	27 803 845-33 0050
	Brushed Chrome	27 803 845-93 0050
	Brushed Dark Platinum	27 803 845-99 0050

Recommended miscellaneous




- Concealed wall elbow -**
- max. recess depth mm
 - min. recess depth mm

35 085 970 90

LISSÉ Hand shower set with individual rosettes - Chrome

27 803 845 Product version from 7/1/2022

mm [inches]




Flow rate chart



LISSÉ Hand shower set with individual rosettes - Chrome

27 803 845 Product version from 7/1/2022



27 803 845-FF 00 10

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	28 450 845-00	LISSÉ Wall elbow - Chrome	1	10
2	90 14 20 026 00 90	seal	1	2
3	28 050 845-00	LISSÉ Wall bracket - Chrome	1	10
4	90 30 02 072 00-00	Metal shower hose 1/2" x 3/8" x 1250 mm - Chrome	1	10
5	28 014 979-00 0050	Hand shower 6.8 l/min - Chrome	1	-
Spare part can no longer be ordered, please order the replacement item				
	28018979-000050	Hand shower - Chrome		