

TARA Hand shower set with individual rosettes - Brushed Chrome

27 803 892 Product version from 7/1/2022



- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- 1/2" shower outlet
- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

	Brushed Chrome	27 803 892-93 0050
	Chrome	27 803 892-00 0050
	Brushed Platinum	27 803 892-06 0050
	Platinum	27 803 892-08 0050
	Dark Chrome	27 803 892-19 0050
	Brushed Durabrass (23kt Gold)	27 803 892-28 0050
	Matte Black	27 803 892-33 0050
	Brushed Bronze	27 803 892-42 0050
	Brushed Champagne (22kt Gold)	27 803 892-46 0050
	Champagne (22kt Gold)	27 803 892-47 0050
	Brushed Dark Platinum	27 803 892-99 0050

Recommended miscellaneous




- Concealed wall elbow -**
- max. recess depth mm
 - min. recess depth mm

35 085 970 90


TARA Hand shower set with individual rosettes - Brushed Chrome

27 803 892 Product version from 7/1/2022

mm [inches]




Flow rate chart



TARA Hand shower set with individual rosettes - Brushed Chrome

27 803 892 Product version from 7/1/2022



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	28 450 892-93	connection	1	-
Spare part can no longer be ordered, please order the replacement item				
2	28 050 892-93	TARA Wall bracket - Brushed Chrome	1	20
3	28 104 970-93	Metal shower hose 1/2" x 1/2" x 1250 mm - Brushed Chrome	1	20
4	28 014 979-93 0050	Hand shower 6.8 l/min - Brushed Chrome	1	-
Spare part can no longer be ordered, please order the replacement item				
	28018979-930050	Hand shower - Brushed Chrome		