

SERIES SPECIFIC Hand shower set - Brushed Platinum

SERIES SPECIFIC













27 806 625

Product version from 7/1/2022



- COMPACT RAIN, max. flow rate 8 l/min (at 3 bar)
- with anti-scale system
- rosette Ø 55 mm
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 55mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

	Brushed Platinum	27 806 625-06 0050
	Chrome	27 806 625-00 0050
	Dark Chrome	27 806 625-19 0050
	Light Gold	27 806 625-26 0050
	Brushed Light Gold	27 806 625-27 0050
	Brushed Durabrass (23kt Gold)	27 806 625-28 0050
	Matte Black	27 806 625-33 0050
	Brushed Bronze	27 806 625-42 0050
	Brushed Champagne (22kt Gold)	27 806 625-46 0050
	Champagne (22kt Gold)	27 806 625-47 0050
	Brushed Chrome	27 806 625-93 0050
	Brushed Dark Platinum	27 806 625-99 0050

Recommended miscellaneous



- Concealed wall elbow -

 - max. recess depth 163 mm
 - min. recess depth 90 mm


35 085 970 90

Recommended miscellaneous





Wall elbow - Brushed Platinum

28 450 625-06



Flow rate chart





Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
2	90 30 02 072 00-06	Metal shower hose 1/2" x 3/8" x 1250 mm - Brushed Platinum	1.00	10
3	28 050 625-06	Wall bracket - Brushed Platinum	1.00	10
1	90 12 11 140 41-06	shower	1.00	10