

## Hand shower set with individual rosettes with volume control - Platinum

---

27 809 980 Product version from 7/1/2022



- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with volume control
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

### Recommended miscellaneous

---



**Concealed wall elbow -**


- max. recess depth mm
- min. recess depth mm

35 085 970 90


**Hand shower set with individual rosettes with volume control - Platinum**

27 809 980 Product version from 7/1/2022

mm [inches]




**Flow rate chart**



## Hand shower set with individual rosettes with volume control - Platinum

27 809 980 Product version from 7/1/2022



### Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	28 451 980-08	connection	1	-
Spare part can no longer be ordered, please order the replacement item				
2	90 14 20 026 00 90	seal	1	2
3	28 050 980-08	Wall bracket - Platinum	1	40
4	90 30 02 072 00-08	Metal shower hose 1/2" x 3/8" x 1250 mm - Platinum	1	40
5	90 12 11 140 41-08	shower	1	40