

## Hand shower set with cover plate - Brushed Light Gold

IMO

27 818 980



Fits: IMO, MEM, CL.1, CYO

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- WRAS 2209005

Intrinsic protection against back flow.

	Brushed Light Gold	27 818 980-27
	Chrome	27 818 980-00 0050
	Brushed Platinum	27 818 980-06 0050
	Platinum	27 818 980-08 0050
	Dark Chrome	27 818 980-19 0050
	Brushed Light Gold	27 818 980-27 0050
	Brushed Durabronze (23kt Gold)	27 818 980-28 0050
	Matte Black	27 818 980-33 0050
	Brushed Champagne (22kt Gold)	27 818 980-46 0050
	Champagne (22kt Gold)	27 818 980-47 0050
	Brushed Chrome	27 818 980-93 0050
	Brushed Dark Platinum	27 818 980-99 0050

### Recommended miscellaneous



#### Concealed wall elbow -

35 085 970 90


- min. recess depth 90 mm
- max. recess depth 163 mm

## Hand shower set with cover plate - Brushed Light Gold


IMO

27 818 980

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



## Hand shower set with cover plate - Brushed Light Gold

IMO

27 818 980


### Certificates

LGA\_29

WRAS\_2209

Belgaqua\_22\_280\_2

**Product version from 3/2/2021**





## Hand shower set with cover plate - Brushed Light Gold

---

IMO

27 818 980

### **Spare parts list**

**Product version from 3/2/2021**