

WATER TUBE Kneipp wall elbow with individual rosettes with hose holder - Chrome

IMO

27 822 979




Fits: IMO, MEM, CL.1, CYO

- laminar flow
- Max. flow rate l/min (at 3 bar)
- rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2" wall elbow
- without hose

Intrinsic protection against back flow.

Product change as of 1.4.2023: max. flow 15 l/min

	Chrome	27 822 979-00
	Brushed Platinum	27 822 979-06
	Platinum	27 822 979-08
	Dark Chrome	27 822 979-19
	Brushed Durabronze (23kt Gold)	27 822 979-28
	Matte Black	27 822 979-33
	Brushed Champagne (22kt Gold)	27 822 979-46
	Champagne (22kt Gold)	27 822 979-47
	Brushed Chrome	27 822 979-93
	Brushed Dark Platinum	27 822 979-99

Recommended miscellaneous



- Concealed wall elbow -** 35 085 970 90
- max. recess depth 163 mm
 - min. recess depth 90 mm

Required miscellaneous



- WATER TUBE Kneipp hose black** 28 286 979-00
- 2000 mm - Chrome**
- with holding ring
 - hose nozzle with sleeve M33

Required miscellaneous




- WATER TUBE Kneipp hose white** 28 285 979-00
- 2000 mm - Chrome**
- with holding ring
 - hose nozzle with sleeve M33


WATER TUBE Kneipp wall elbow with individual rosettes with hose holder - Chrome

IMO

27 822 979
mm [inches]



Flow rate chart



Certificates

Belgaqua_22_280_2
7_7.

WATER TUBE Kneipp wall elbow with individual rosettes with hose holder - Chrome

IMO

27 822 979

