

Shower head - Brushed Bronze

SERIES SPECIFIC

28 505 979 Product version from 7/1/2022



- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 7.6 l/min (at 3 bar)
- Function from: l/min
- with anti-scale system

Technical data:

- 155mm projection
- ball-joint pivotable through 18° (in any direction)
- rosette Ø 60 mm
- 1/2" connection
- WRAS

| | | |
|---|-------------------------------|--------------------|
|  | Brushed Bronze | 28 505 979-42 0050 |
|  | Chrome | 28 505 979-00 0050 |
|  | Brushed Platinum | 28 505 979-06 0050 |
|  | Platinum | 28 505 979-08 0050 |
|  | Dark Chrome | 28 505 979-19 0050 |
|  | Light Gold | 28 505 979-26 0050 |
|  | Brushed Light Gold | 28 505 979-27 0050 |
|  | Brushed Durabrass (23kt Gold) | 28 505 979-28 0050 |
|  | Matte Black | 28 505 979-33 0050 |
|  | Brushed Dark Brass | 28 505 979-39 0050 |
|  | Brushed Champagne (22kt Gold) | 28 505 979-46 0050 |
|  | Champagne (22kt Gold) | 28 505 979-47 0050 |
|  | Brushed Chrome | 28 505 979-93 0050 |
|  | Brushed Dark Platinum | 28 505 979-99 0050 |


Recommended miscellaneous




- Concealed wall elbow -** 35 085 970 90
- min. recess depth 90 mm
 - max. recess depth 163 mm


28 505 979 Product version from 7/1/2022

mm [inches]



Flow rate chart





Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 6 | 90 12 05 055 00-42 | shower | 1.00 | 30 |
| 5 | 09 11 01 191-42 | cover | 1.00 | 60 |
| 4 | 90 14 20 002 00 90 | seal | 1.00 | 2 |
| 3 | 09 11 03 011-42 | connection | 1.00 | 60 |
| 1 | 09 27 22 045-42 | rosette | 1.00 | 60 |
| 2 | 90 14 10 026 00 90 | seal | 1.00 | 2 |