







## MADISON Shower head - Brushed Platinum

MADISON

28 508 360



- 200mm projection
- ball-joint pivotable through 30°
- Three settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 94mm
- rosette Ø 55 mm
- 1/2" connection
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Brushed Platinum	28 508 360-06 0050
	Chrome	28 508 360-00 0050
	Platinum	28 508 360-08 0050
	Durabrand (23kt Gold)	28 508 360-09 0050
	Brushed Durabrand (23kt Gold)	28 508 360-28 0050
	Brushed Dark Platinum	28 508 360-99 0050

### Recommended miscellaneous




#### Concealed wall elbow -

35 085 970 90

- max. recess depth 163 mm
- min. recess depth 90 mm

28 508 360


mm [inches]



### Flow rate chart



**Product version from 7/1/2022**





## MADISON Shower head - Brushed Platinum

MADISON

28 508 360

### Spare parts list

#### Product version from 7/1/2022

No.	Item Number	Name	Quantity used	Delivery time
	09 27 35 003-06	rosette	4	10