

# Shower head - Matte Black

SERIES SPECIFIC

28 508 979 Product version from 7/1/2022



- spray head Ø 92mm
- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: l/min
- with anti-scale system

**Technical data:**

- 200mm projection
- ball-joint pivotable through 30°
- rosette Ø 55 mm
- 1/2" connection

	Matte Black	28 508 979-33 0050
	Chrome	28 508 979-00 0050
	Brushed Platinum	28 508 979-06 0050
	Platinum	28 508 979-08 0050
	Dark Chrome	28 508 979-19 0050
	Light Gold	28 508 979-26 0050
	Brushed Light Gold	28 508 979-27 0050
	Brushed Durabronze (23kt Gold)	28 508 979-28 0050
	Brushed Dark Bronze	28 508 979-39 0050
	Brushed Bronze	28 508 979-42 0050
	Brushed Champagne (22kt Gold)	28 508 979-46 0050
	Champagne (22kt Gold)	28 508 979-47 0050
	Brushed Chrome	28 508 979-93 0050
	Brushed Dark Platinum	28 508 979-99 0050

## Recommended miscellaneous

**Concealed wall elbow -**


35 085 970 90




- max. recess depth 163 mm
- min. recess depth 90 mm


28 508 979 Product version from 7/1/2022

mm [inches]



Flow rate chart





Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	3 09 11 03 011-33	connection	1.00	30
	4 04 12 11 110 00-33	shower	1.00	-
Spare part can no longer be ordered, please order the replacement item				
	1 09 27 22 019-33	rosette	1.00	30
	2 90 14 10 026 00 90	seal	1.00	2