

Shower head - Brushed Dark Platinum

28 508 979 Product version from 7/1/2022



- 200mm projection
- ball-joint pivotable through 30°
- Three settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 92mm
- rosette Ø 55 mm
- 1/2" connection
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Brushed Dark Platinum	28 508 979-99 0050
	Chrome	28 508 979-00 0050
	Brushed Platinum	28 508 979-06 0050
	Platinum	28 508 979-08 0050
	Dark Chrome	28 508 979-19 0050
	Light Gold	28 508 979-26 0050
	Brushed Light Gold	28 508 979-27 0050
	Brushed Durabronze (23kt Gold)	28 508 979-28 0050
	Matte Black	28 508 979-33 0050
	Brushed Bronze	28 508 979-42 0050
	Brushed Champagne (22kt Gold)	28 508 979-46 0050
	Champagne (22kt Gold)	28 508 979-47 0050
	Brushed Chrome	28 508 979-93 0050

Recommended miscellaneous




- Concealed wall elbow -**
- max. recess depth mm
 - min. recess depth mm

35 085 970 90

Shower head - Brushed Dark Platinum

28 508 979 Product version from 7/1/2022

mm [inches]




Flow rate chart



Shower head - Brushed Dark Platinum

28 508 979 Product version from 7/1/2022



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 27 22 019-99	rosette	1	20
2	90 14 10 026 00 90	seal	1	2
3	09 11 03 011-99	connection	1	20
4	04 12 11 110 00-99	shower	1	-

Spare part can no longer be ordered, please order the replacement item