

## MADISON Rain shower with wall fixing 200 mm - Brushed Durabrand (23kt Gold)

MADISON

28 545 977 Product version from 7/1/2022



- rain shower Ø 200 mm
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- with anti-scale system

### Technical data:

- 435mm projection
- rosette Ø 55 mm
- 1/2" connection

### Notes:

- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

|   |                               |                    |
|---|-------------------------------|--------------------|
|  | Brushed Durabrand (23kt Gold) | 28 545 977-28 0050 |
|  | Chrome                        | 28 545 977-00 0050 |
|  | Brushed Platinum              | 28 545 977-06 0050 |
|  | Platinum                      | 28 545 977-08 0050 |
|  | Durabrand (23kt Gold)         | 28 545 977-09 0050 |
|  | Brushed Dark Platinum         | 28 545 977-99 0050 |

## Recommended miscellaneous



### Concealed wall elbow -


35 085 970 90

- max. recess depth 163 mm
- min. recess depth 90 mm


MADISON Rain shower with wall fixing 200 mm - Brushed Durabron (23kt Gold)


MADISON

28 545 977 Product version from 7/1/2022  
mm [inches]



Flow rate chart





Spare parts list

| No. | Item Number        | Name       | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 1   | 09 27 35 003-28    | rosette    | 1.00          | 60            |
| 3   | 09 11 03 017-28    | connection | 1.00          | 60            |
| 4   | 90 12 05 038 20-28 | shower     | 1.00          | 20            |
| 2   | 90 14 10 026 00 90 | seal       | 1.00          | 2             |