

## Rain shower with ceiling fixing 220 mm - Brushed Dark Platinum

IMO

28 669 970



- rain shower Ø 220 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Fits: IMO, TARA, LISSÉ, VAIA, META, CYO

|  |                                |                    |
|--|--------------------------------|--------------------|
|    | Brushed Dark Platinum          | 28 669 970-99 0050 |
|    | Chrome                         | 28 669 970-00 0050 |
|    | Brushed Platinum               | 28 669 970-06 0050 |
|    | Platinum                       | 28 669 970-08 0050 |
|    | Dark Chrome                    | 28 669 970-19 0050 |
|    | Light Gold                     | 28 669 970-26 0050 |
|    | Light Gold                     | 28 669 970-26      |
|    | Brushed Light Gold             | 28 669 970-27 0050 |
|    | Brushed Light Gold             | 28 669 970-27      |
|  | Brushed Durabronze (23kt Gold) | 28 669 970-28 0050 |
|  | Matte Black                    | 28 669 970-33 0050 |
|  | Brushed Bronze                 | 28 669 970-42 0050 |
|  | Brushed Champagne (22kt Gold)  | 28 669 970-46 0050 |
|  | Champagne (22kt Gold)          | 28 669 970-47 0050 |
|  | Brushed Chrome                 | 28 669 970-93 0050 |

### Recommended miscellaneous




#### Concealed wall elbow -

35 085 970 90

- max. recess depth 163 mm
- min. recess depth 90 mm

28 669 970


mm [inches]



Flow rate chart



**Product version from 7/1/2022**





## Rain shower with ceiling fixing 220 mm - Brushed Dark Platinum

IMO

28 669 970

### Spare parts list

#### Product version from 7/1/2022

| No. | Item Number     | Name    | Quantity used | Delivery time |
|-----|-----------------|---------|---------------|---------------|
|     | 09 27 22 040-99 | rosette | 6             | 30            |