

## Rain shower with wall fixing 300 mm - Brushed Chrome












IMO

28 679 670



- 450mm projection
- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- rosette 65 x 65 mm
- 1/2" connection
- with anti-scale system
- quick clearing
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Fits: IMO, CYO


	Brushed Chrome	28 679 670-93 0050
	Chrome	28 679 670-00 0050
	Brushed Platinum	28 679 670-06 0050
	Platinum	28 679 670-08 0050
	Dark Chrome	28 679 670-19 0050
	Brushed Light Gold	28 679 670-27 0050
	Brushed Durabronze (23kt Gold)	28 679 670-28 0050
	Matte Black	28 679 670-33 0050
	Brushed Champagne (22kt Gold)	28 679 670-46 0050
	Champagne (22kt Gold)	28 679 670-47 0050
	Brushed Dark Platinum	28 679 670-99 0050

## Rain shower with wall fixing 300 mm - Brushed Chrome


IMO

28 679 670

mm [inches]




Flow rate chart



**Product version from 7/1/2022**

Parts for other  
finishes can be found  
here: [Chrome](#)





## Rain shower with wall fixing 300 mm - Brushed Chrome

IMO

28 679 670

### Spare parts list

#### Product version from 7/1/2022

No.	Item Number	Name	Quantity used	Delivery time
	04 30 31 032 00 90	fixing set	10	2