

IMO Single-lever shower mixer for wall mounting - Chrome







IMO

33 301 670




- 3/8" shower outlet
- slide-on rosettes Ø 60 mm
- 1/2" connection
- gauge 150 mm - 15 mm

Intrinsic protection against back flow.


	Chrome	33 301 670-00
	Brushed Platinum	33 301 670-06
	Dark Chrome	33 301 670-19
	Brushed Light Gold	33 301 670-27
	Matte Black	33 301 670-33
	Brushed Chrome	33 301 670-93

33 301 670

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Ü-Zeichen



IMO Single-lever shower mixer for wall mounting - Chrome

IMO

33 301 670

Certificates

Belgaqua_21-025-2 LGA_9

33 301 670


Product version from 3/9/2015 to 7/17/2018

Product version from 7/17/2018 to 3/21/2019

Product version from 3/21/2019

Product version from 4/1/2024

Parts for other
finishes can be found
here: Brushed
Platinum





IMO Single-lever shower mixer for wall mounting - Chrome

IMO

33 301 670

Spare parts list

Product version from 3/9/2015 to 7/17/2018

Product version from 7/17/2018 to 3/21/2019

Product version from 3/21/2019

Product version from 4/1/2024

No.	Item Number	Name	Quantity used	Delivery time
	09 20 67 004-00	handle	23	10