

MEM Single-lever mixer - Chrome

MEM


33 815 682    Product version from 3/1/2023




- 241mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 820 970 90
- air-enriched flow
- max. flow 6.3 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

	Chrome	33 815 682-00
	Brushed Platinum	33 815 682-06
	Platinum	33 815 682-08
	Durabrass (23kt Gold)	33 815 682-09
	Dark Chrome	33 815 682-19
	Brushed Durabrass (23kt Gold)	33 815 682-28
	Matte Black	33 815 682-33
	Brushed Bronze	33 815 682-42
	Brushed Champagne (22kt Gold)	33 815 682-46
	Champagne (22kt Gold)	33 815 682-47
	Brushed Chrome	33 815 682-93
	Brushed Dark Platinum	33 815 682-99


Recommended miscellaneous

	<b>Swivel limitation set -</b>	12 820 970 90
---	--------------------------------	---------------

Recommended miscellaneous


	<b>Strainer waste with control handle - Chrome</b>	10 712 970-00
---	--	---------------

Recommended miscellaneous


	<b>Dispenser without rosette - Chrome</b>	82 424 970-00
---	---	---------------



33 815 682 Product version from 3/1/2023



### Flow rate chart



### Codes & Standards

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen





## MEM Single-lever mixer - Chrome

MEM


33 815 682 Product version from 3/1/2023

Certificates and sustainability

LGA\_38

WRAS\_240202





## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
8	04 23 10 044 08 90	fixing set	1.00	2
7	90 20 86 004 00-00	handle	1.00	10
1	90 28 22 333 00-00	spout	1.00	10
2	09 19 86 012-00	cover	1.00	60
6	90 28 30 052 00-00	cover	1.00	10
5	09 24 04 266 90	nut	1.00	2
9	04 30 04 100 00 90	hose	2.00	2
4	90 15 05 042 00 90	cartridge	1.00	2
3	90 23 10 128 00 90	nut	1.00	2