

## SYNC Single-lever mixer Pull-down with spray function - Chrome

SYNC

33 870 895



- 240mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 821 970 90
- laminar and spray flow
- height of mixer 444 mm
- height up to laminar flow regulator 240 mm
- hole diameter 35 mm
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10.4 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

	Chrome	33 870 895-00
	Brushed Platinum	33 870 895-06
	Platinum	33 870 895-08
	Durabrand (23kt Gold)	33 870 895-09
	Dark Chrome	33 870 895-19
	Brushed Durabrand (23kt Gold)	33 870 895-28
	Matte Black	33 870 895-33
	Brushed Champagne (22kt Gold)	33 870 895-46
	Champagne (22kt Gold)	33 870 895-47
	Brushed Chrome	33 870 895-93
	Brushed Dark Platinum	33 870 895-99

### Recommended miscellaneous

**Swivel limitation set -**

12 821 970 90



### Recommended miscellaneous

**Strainer waste with control handle - Chrome** 10 712 970-00



### Recommended miscellaneous

**Dispenser without rosette - Chrome**

82 424 970-00



33 870 895




### Flow rate chart



### Certificates

Belgaqua\_21-027- LGA\_28657. GDV\_0400314.  
27\_3.

33 870 895



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 12 11 148 00-00	shower	1	10
2	04 30 02 120 00-00	hose	1	10
3	90 28 22 302 00-00	spout	1	10
4	09 28 10 160 90	ring	1	2
5	09 28 10 162 90	ring	1	2
6	09 28 10 161 90	ring	1	2
7	90 15 05 064 00 90	cartridge	1	2
8	09 23 10 072 90	nut	1	60
9	09 14 10 190 90	seal	1	2
10	09 28 30 030-00	cover	1	10
11	09 20 89 020-00	handle	1	10
12	90 31 11 063 00 90	pin	1	2
13	90 31 20 087 00-00	plug	1	10
14	04 30 04 101 00 90	hose	2	2
15	04 28 20 067 00 90	pipe	1	2
16	04 30 11 040 00 90	fixing set	1	2
17	09 20 93 056 90	insert	1	2
18	90 24 03 253 00 90	adaptor	1	2
19	09 30 03 038 90	hose	1	2
20	04 21 50 010 00 90	accessories	1	2
21	90 30 09 031 00 90	key	1	2