

TARA Shower pipe with shower thermostat without hand shower 220 mm - Brushed Bronze

TARA

34 458 892



- shower with fixed riser projection 452mm
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- rain shower Ø 220 mm
- rain shower with anti-scale system
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 964mm
- height of fittings up to top edge of elbow 1267mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Intrinsic protection against back flow.


	Brushed Bronze	34 458 892-42 0050
	Chrome	34 458 892-00 0050
	Brushed Platinum	34 458 892-06 0050
	Platinum	34 458 892-08 0050
	Dark Chrome	34 458 892-19 0050
	Brushed Durabronze (23kt Gold)	34 458 892-28 0050
	Matte Black	34 458 892-33 0050
		34 458 892-39 0050
		34 458 892-43 0050
	Brushed Champagne (22kt Gold)	34 458 892-46 0050
	Champagne (22kt Gold)	34 458 892-47 0050
	Brushed Chrome	34 458 892-93 0050
	Brushed Dark Platinum	34 458 892-99 0050

TARA Shower pipe with shower thermostat without hand shower 220 mm - Brushed Bronze

TARA

34 458 892

mm [inches]
1:10



Flow rate chart




TARA Shower pipe with shower thermostat without hand shower 220 mm - Brushed Bronze

TARA

34 458 892

Product version from 7/1/2022

Parts for other
finishes can be found
here: [Chrome](#)





TARA Shower pipe with shower thermostat without hand shower 220 mm -
Brushed Bronze

TARA

34 458 892

Spare parts list

Product version from 7/1/2022

No.	Item Number	Name	Quantity used	Delivery time
	90 12 05 092 00-42	90120509200-42	11	30