

Showerpipe with shower thermostat without hand shower - Brushed Platinum

IMO










34 459 980



Fits: IMO, MEM, CL.1, CYO


- shower with fixed riser projection 453mm
- overhead shower: rain flow
- rain shower 300 x 240mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm
- quick clearing
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.


	Brushed Platinum	34 459 980-06 0050
	Chrome	34 459 980-00 0050
	Platinum	34 459 980-08 0050
	Dark Chrome	34 459 980-19 0050
	Brushed Light Gold	34 459 980-27 0050
	Brushed Durabronze (23kt Gold)	34 459 980-28 0050
	Matte Black	34 459 980-33 0050
	Brushed Champagne (22kt Gold)	34 459 980-46 0050
	Champagne (22kt Gold)	34 459 980-47 0050
	Brushed Chrome	34 459 980-93 0050
	Brushed Dark Platinum	34 459 980-99 0050

34 459 980

mm [inches]
1:10




Flow rate chart



Product version from 7/1/2022

Parts for other
finishes can be found
here: [Chrome](#)





Showerpipe with shower thermostat without hand shower - Brushed Platinum

IMO

34 459 980

Spare parts list

Product version from 7/1/2022

No.	Item Number	Name	Quantity used	Delivery time
	04 12 05 063 10-06	shower	10	10