


Concealed wall-mounted mixer spout on left -

35 713 970 90




- red brass, lead-free
- 2x female thread 1/2" connections
- 3x female thread 1/2" outlet
- 3x sealing plug 1/2"
- 3x dust cover
- soundproofing
- gauge 100 mm

Concealed wall-mounted mixer spout on left -


35 713 970 90

mm [inches]



| | min | max |
|-----------|-------------|--------------|
| Supernova | 65 [2 1/2"] | 130 [5 1/8"] |
| Deque | 65 [2 1/2"] | 130 [5 1/8"] |
| Tara | 65 [2 1/2"] | 130 [5 1/8"] |
| Vaia | 64 [2 1/2"] | 136 [5 3/8"] |
| CL-2 | 97 [3 7/8"] | 120 [4 3/4"] |

Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen

XP P 41-280



Concealed wall-mounted mixer spout on left -

35 713 970 90

Certificates


ACS_21 ACC LY

LGA_19

LGA_19

Concealed wall-mounted mixer spout on left -

35 713 970 90





Concealed wall-mounted mixer spout on left -

35 713 970 90

Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|-----------------|-------------|---------------|---------------|
| | 09 11 11 043 90 | accessories | 17 | 2 |