

Concealed three-way diverter - Brushed Durabronze (23kt Gold)

SERIES SPECIFIC


36 210 740



- rotary diverter
- without rosette
- handle Ø 60mm
- WRAS


	Brushed Durabronze (23kt Gold)	36 210 740-28
	Chrome	36 210 740-00
	Brushed Platinum	36 210 740-06
	Light Gold	36 210 740-26
	Brushed Light Gold	36 210 740-27
	Matte Black	36 210 740-33
	Brushed Dark Bronze	36 210 740-39
	Brushed Bronze	36 210 740-42
	Brushed Champagne (22kt Gold)	36 210 740-46
	Champagne (22kt Gold)	36 210 740-47
	Brushed Dark Platinum	36 210 740-99

Required miscellaneous

Concealed three-way diverter -		35 203 970 90
	•max. recess depth 160 mm	
	•min. recess depth 85 mm	

36 210 740

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
----------	----------	------------------------	-----------------------------

Ü-Zeichen



Concealed three-way diverter - Brushed Durabrass (23kt Gold)

SERIES SPECIFIC

36 210 740

Certificates and sustainability

LGA_38

WRAS_2307

36 210 740

