



xTOOL Concealed thermostat without volume control 1/2" - Brushed Dark Platinum

IMO


36 501 780




- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge




Brushed Dark Platinum




Chrome




Brushed Platinum




Platinum




Dark Chrome



Brushed Durabronze (23kt Gold)



Matte Black



Brushed Chrome

36 501 780-99

36 501 780-00

36 501 780-06

36 501 780-08

36 501 780-19


36 501 780-28

36 501 780-33

36 501 780-93

Fits: IMO, MEM, CL.1, CYO

Required miscellaneous




xTOOL Concealed thermostat module without volume control -

- max. recess depth 155 mm
- min. recess depth 115 mm

35 503 970 90


Required miscellaneous



xGRID Installation track 555 mm -

12 360 970 90

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction -

12 340 970 90

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com


1/3

3/3/2024

**xTOOL Concealed thermostat without volume control 1/2" - Brushed Dark
Platinum**

IMO


36 501 780
mm [inches]



Certificates

WRAS_2011026.	DVGW_DW- 6512DN0706.	LGA_29930.	LGA_29932.
---------------	-------------------------	------------	------------

36 501 780



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 15 02 063 00 90	cartridge	1	2
2	90 11 01 196 00 90	base	1	2
3	90 11 02 533 00-99	cover	1	40
4	09 31 11 044 90	pin	1	2
5	90 14 10 049 00 90	seal	1	2
6	90 21 02 112 00-99	sleeve	1	-
Spare part can no longer be ordered, please order the replacement item				
7	90 17 33 004 00-99	handle	1	35
8	90 21 33 011 00-13	handle	1	30
9	90 16 02 027 00 90	spring	1	2
10	90 30 30 136 00 90	screw	1	2
11	90 31 20 049 00-13	plug	1	30
12	12 178 970 90	Extension 46 mm -	1	2