



LULU xTOOL Concealed thermostat without volume control 3/4" - Chrome

LULU

36 503 710



- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- WRAS 2011026

	Chrome	36 503 710-00
	Brushed Platinum	36 503 710-06

Required miscellaneous




- xTOOL Concealed thermostat module without volume control -**

35 503 970 90


  - max. recess depth 110 mm
  - min. recess depth 85 mm

36 503 710

mm [inches]




### Flow rate chart



### Certificates

WRAS\_2011026.    LGA\_29931.    DVGW\_DW-6512DN0706.    LGA\_29930.    LGA\_29932.

36 503 710



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 15 02 063 00 90	cartridge	1	2
2	90 11 01 196 00 90	base	1	2
3	09 11 02 541-00	cover	1	10
4	09 31 11 044 90	pin	1	2
5	90 14 10 049 00 90	seal	1	2
6	90 21 02 112 00-00	sleeve	1	10
7	90 17 33 004 00-00	handle	1	10
8	90 21 33 011 00-13	handle	1	2
9	90 16 02 027 00 90	spring	1	2
10	90 30 30 136 00 90	screw	1	2
11	90 31 20 049 00-00	plug	1	10