

LULU xTOOL Concealed thermostat without volume control 3/4" - Brushed Platinum

LULU

36 503 710



- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- WRAS 2011026



Brushed Platinum

36 503 710-06



Chrome

36 503 710-00

Required miscellaneous




- xTOOL Concealed thermostat module without volume control -**
- max. recess depth 110 mm
 - min. recess depth 85 mm

35 503 970 90


LULU xTOOL Concealed thermostat without volume control 3/4" - Brushed Platinum

LULU

36 503 710
mm [inches]



Flow rate chart



Certificates

WRAS_2011026.


LGA_29931.

DVGW_DW-
6512DN0706.

LGA_29930.

LGA_29932.

36 503 710



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 15 02 063 00 90	cartridge	1	2
2	90 11 01 196 00 90	base	1	2
3	09 11 02 541-06	cover	1	10
4	09 31 11 044 90	pin	1	2
5	90 14 10 049 00 90	seal	1	2
6	90 21 02 112 00-06	sleeve	1	10
7	90 17 33 004 00-06	handle	1	10
8	90 21 33 011 00-13	handle	1	2
9	90 16 02 027 00 90	spring	1	2
10	90 30 30 136 00 90	screw	1	2
11	90 31 20 049 00-13	plug	1	30