

















xTOOL Concealed thermostat without volume control 3/4" - Brushed Dark Platinum

SERIES SPECIFIC

36 503 780 Product version up to 1/1/2022			
	<ul style="list-style-type: none"> cover plate 120 x 120 mm temperature control handle with safety limit stop at 38°C thermostat cartridge WRAS 		
		Brushed Dark Platinum	36 503 780-99
		Chrome	36 503 780-00
		Brushed Platinum	36 503 780-06
		Platinum	36 503 780-08
		Dark Chrome	36 503 780-19
		Brushed Light Gold	36 503 780-27
		Brushed Durabrass (23kt Gold)	36 503 780-28
		Matte Black	36 503 780-33
		Brushed Dark Brass	36 503 780-39
		Brushed Champagne (22kt Gold)	36 503 780-46
		Champagne (22kt Gold)	36 503 780-47
		Brushed Chrome	36 503 780-93

Required miscellaneous		
	xTOOL Concealed thermostat module without volume control -	35 503 970 90
	<ul style="list-style-type: none"> max. recess depth 155 mm min. recess depth 115 mm 	

Required miscellaneous		
	xGRID Installation track 555 mm -	12 360 970 90

Recommended miscellaneous		
	xGRID Attachment set for integrating in the dry wall construction -	12 340 970 90

xTOOL Concealed thermostat without volume control 3/4" - Brushed Dark Platinum

SERIES SPECIFIC

36 503 780

Product version up to 1/1/2022

mm [inches]



Flow rate chart



Codes & Standards


DIN 4109	EN 1111	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		



xTOOL Concealed thermostat without volume control 3/4" - Brushed Dark
Platinum

SERIES SPECIFIC

36 503 780 Product version up to 1/1/2022			
Certificates and sustainability			
WRAS_2011	DVGW_DW-6512DN0	LGA_29	LGA_29



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	2 09 11 02 196-99	cover	1.00	60
	7 90 16 02 027 00 90	spring	1.00	2
	5 90 17 33 004 00-99	handle	1.00	60
	10 12 178 970 90	Extension 46 mm -	1.00	2
	4 90 21 02 112 00-99	sleeve	1.00	20
	9 90 31 20 049 00-13	plug	1.00	30
	8 90 30 30 136 00 90	screw	1.00	2
	3 90 14 10 049 00 90	seal	1.00	2
	6 90 21 33 011 00-13	handle	1.00	2
	1 90 15 02 063 00 90	cartridge	1.00	2