




xTOOL Concealed thermostat without volume control 3/4" - Brushed Dark Platinum

<div> <div>36 503 780</div> <div>Product version from 9/1/2022</div> </div> <div>  </div> <div> <ul style="list-style-type: none"> <li>cover plate 120 x 120 mm</li> <li>temperature control handle with safety limit stop at 38°C</li> <li>thermostat cartridge</li> <li>WRAS</li> </ul> </div>				<div> <div></div> <div>Brushed Dark Platinum</div> </div> <div>36 503 780-99</div>
				<div> <div></div> <div>Chrome</div> </div> <div>36 503 780-00</div>
				<div> <div></div> <div>Brushed Platinum</div> </div> <div>36 503 780-06</div>
				<div> <div></div> <div>Platinum</div> </div> <div>36 503 780-08</div>
				<div> <div></div> <div>Dark Chrome</div> </div> <div>36 503 780-19</div>
				<div> <div></div> <div>Brushed Light Gold</div> </div> <div>36 503 780-27</div>
				<div> <div></div> <div>Brushed Durabrass (23kt Gold)</div> </div> <div>36 503 780-28</div>
				<div> <div></div> <div>Matte Black</div> </div> <div>36 503 780-33</div>
				<div> <div></div> <div>Brushed Champagne (22kt Gold)</div> </div> <div>36 503 780-46</div>
				<div> <div></div> <div>Champagne (22kt Gold)</div> </div> <div>36 503 780-47</div>
				<div> <div></div> <div>Brushed Chrome</div> </div> <div>36 503 780-93</div>


Required miscellaneous

<div>  </div>	<div> <div>xTOOL Concealed thermostat module without volume control -</div> <div>35 503 970 90</div> </div>
	<div> <ul style="list-style-type: none"> <li>max. recess depth mm</li> <li>min. recess depth mm</li> </ul> </div>

Required miscellaneous

<div>  </div>	<div> <div>xGRID Installation track 555 mm -</div> <div>12 360 970 90</div> </div>


Recommended miscellaneous

<div>  </div>	<div> <div>xGRID Attachment set for integrating in the dry wall construction -</div> <div>12 340 970 90</div> </div>




xTOOL Concealed thermostat without volume control 3/4" - Brushed Dark Platinum

36 503 780    Product version from 9/1/2022  
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	EN 1111	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		



xTOOL Concealed thermostat without volume control 3/4" - Brushed Dark  
Platinum

---

36 503 780    Product version from 9/1/2022


Certificates

---

WRAS_2011	DVGW_DW- 6512DN0	LGA_29	LGA_29
-----------	---------------------	--------	--------

**xTOOL Concealed thermostat without volume control 3/4" - Brushed Dark  
Platinum**

36 503 780 Product version from 9/1/2022



**Spare parts list**

No.	Item Number	Name	Quantity used	Delivery time
1	90 15 02 063 00 90	cartridge	1	2
2	90 11 01 196 00 90	base	1	2
3	90 11 02 533 00-99	cover	1	20
4	09 31 11 044 90	pin	1	2
5	90 14 10 049 00 90	seal	1	2
6	90 21 02 112 00-99	sleeve	1	20
7	90 17 33 020 00-99	handle	1	20
8	12 178 970 90	Extension 46 mm -	1	2