








MADISON xTOOL Concealed thermostat without volume control 3/4" - Durabrand (23kt Gold)
MADISON


36 503 977



- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

	Durabrand (23kt Gold)	36 503 977-09
	Chrome	36 503 977-00
	Brushed Platinum	36 503 977-06
	Platinum	36 503 977-08
	Brushed Durabrand (23kt Gold)	36 503 977-28
	Brushed Dark Platinum	36 503 977-99

Required miscellaneous




xTOOL Concealed thermostat module without volume control -

- max. recess depth 110 mm
- min. recess depth 85 mm

35 503 970 90


Required miscellaneous



xGRID Installation track 555 mm -

12 360 970 90

Recommended miscellaneous




xGRID Attachment set for integrating in the dry wall construction -

12 340 970 90


MADISON xTOOL Concealed thermostat without volume control 3/4" - Durabronss (23kt Gold)

MADISON

36 503 977
mm [inches]



Flow rate chart



Certificates

WRAS_2011026.

DVGW_DW-
6512DN0706.


LGA_29930.

LGA_29932.

**MADISON xTOOL Concealed thermostat without volume control 3/4" -
Durabronz (23kt Gold)**

MADISON

36 503 977



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 15 02 065 00 90	cartridge	1	2
2	90 11 01 196 00 90	base	1	2
3	09 11 02 543-09	cover	1	40
4	09 31 11 048 90	pin	1	2
5	90 14 10 049 00 90	seal	1	2
6	90 21 02 112 00-09	sleeve	1	40
7	90 17 33 005 01-09	handle	1	40
8	90 21 33 011 00-13	handle	1	2
9	90 16 02 027 00 90	spring	1	2
10	90 30 30 136 00 90	screw	1	2
11	90 31 20 049 00-13	plug	1	30