

WATER POINTS Concealed body spray - Dark Chrome

SERIES-VARIOUS

36 515 979 Product version from 7/1/2022



- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
 - with anti-scale system
 - cover plate 120 x 120 mm
 - This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm**

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

| | | |
|---|--------------------------------|--------------------|
|  | Dark Chrome | 36 515 979-19 0050 |
|  | Chrome | 36 515 979-00 0050 |
|  | Brushed Platinum | 36 515 979-06 0050 |
|  | Platinum | 36 515 979-08 0050 |
|  | Light Gold | 36 515 979-26 0050 |
|  | Brushed Light Gold | 36 515 979-27 0050 |
|  | Brushed Durabronze (23kt Gold) | 36 515 979-28 0050 |
|  | Matte Black | 36 515 979-33 0050 |
|  | Brushed Dark Brass | 36 515 979-39 0050 |
|  | Brushed Bronze | 36 515 979-42 0050 |
|  | Brushed Champagne (22kt Gold) | 36 515 979-46 0050 |
|  | Champagne (22kt Gold) | 36 515 979-47 0050 |
|  | Brushed Chrome | 36 515 979-93 0050 |
|  | Brushed Dark Platinum | 36 515 979-99 0050 |

Required miscellaneous



- Concealed wall installation box -** 35 205 970 90
- max. recess depth 110 mm
 - min. recess depth 85 mm

Recommended miscellaneous



- xGRID Attachment set for integrating in the dry wall construction -** 12 340 970 90

Required miscellaneous



- WATER POINTS Adapter plate -** 12 305 970 90
- adapter plate for mounting concealed rough parts 35 205 970 90 on the xGRID installation track.

Required miscellaneous





- xGRID Installation track 555 mm -** 12 360 970 90

mm [inches]



Flow rate chart





Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|----------------------|--------------|---------------|---------------|
| | 14 09 14 03 117 90 | seal | 1.00 | 2 |
| | 12 09 29 30 043 90 | insert | 1.00 | 2 |
| | 9 09 16 01 017 90 | ring | 1.00 | 2 |
| | 1 09 28 01 024 90 | holder | 1.00 | 2 |
| | 3 09 30 30 031 90 | screw | 8.00 | 2 |
| | 8 09 14 10 130 90 | seal | 1.00 | 2 |
| | 7 90 23 01 032 00 90 | flow reducer | 1.00 | 2 |
| | 11 09 17 97 057 90 | holder | 1.00 | 2 |
| | 15 09 27 98 004-19 | rosette | 1.00 | 20 |
| | 5 09 12 12 205 90 | base | 1.00 | 2 |
| | 4 09 30 11 024 90 | disc | 8.00 | 2 |
| | 10 09 17 11 146 90 | distributor | 1.00 | 60 |
| | 17 09 23 01 052 90 | flow reducer | 1.00 | 2 |
| | 6 09 16 01 016 90 | ring | 1.00 | 2 |
| | 16 09 31 11 048 90 | pin | 1.00 | 2 |
| | 2 09 30 31 022 90 | screw | 4.00 | 2 |
| | 13 09 12 01 075 90 | insert | 1.00 | 2 |