







CL.1 Wall valve clockwise closing cold 1/2" - Brushed Dark Platinum

CL.1


36 617 706 Product version up to 10/14/2020



- with WAVES structure
- rosette 60 x 60 mm
- with cold marking
- head part with cut-to-length spindle and sleeve
- WRAS

| | | |
|---|-------------------------------|---------------|
|  | Brushed Dark Platinum | 36 617 706-99 |
|  | Chrome | 36 617 706-00 |
|  | Brushed Platinum | 36 617 706-06 |
|  | Dark Chrome | 36 617 706-19 |
|  | Brushed Champagne (22kt Gold) | 36 617 706-46 |
|  | Champagne (22kt Gold) | 36 617 706-47 |

Required miscellaneous

| | | |
|---|--|---------------|
|  | Wall valve 1/2" - •max. recess depth 150 mm •min. recess depth 105 mm | 35 607 970 90 |
|---|--|---------------|

CL.1 Wall valve clockwise closing cold 1/2" - Brushed Dark Platinum

CL.1

36 617 706 Product version up to 10/14/2020

mm [inches]



| Codes & Standards | | | |
|-------------------|------------------------|-----------------------------|-----------|
| ASME A112.18.1 | cUPC | DIN 4109 | EN 200 |
| ISO 3822 | Scottish Water Byelaws | UK Water Supply Regulations | Ü-Zeichen |

| Certificates and sustainability | | | | |
|---------------------------------|--------|-----------|--------|--------------|
| DVGW_DW-6501DN0 | LGA_29 | WRAS_2010 | LGA_29 | IAPMO_4976 (|



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|-----------------|---------------|---------------|
| 3 | 90 90 03 143 00 90 | top | 1.00 | 2 |
| 1 | 90 20 70 055 02-99 | handle (cold) | 1.00 | 20 |
| 2 | 09 21 02 108 90 | disc | 1.00 | 60 |