

SERIES-VARIOUS AQUAHALO Rain panel - Brushed Champagne (22kt Gold) SERIES-VARIOUS

41 750 979 Product version from 4/1/2024



- exposed trim parts
- Rain panel with 3 different flow modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 14 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 9 l/min (at 3 bar)
- DIAMOND RAIN: Ring of rain, max. flow rate 6.8 l/min (at 3 bar)

Technical data:

- Outer diameter: 605 mm, opening diameter: 465 mm
- Weight: 6 kg

Electric:

Separate LED power supply

- 350mA (CC)

Input LED power supply

- 350mA (CC)
- Input 100-240V AC 50-60Hz
- Technology: LED, not dimmable

Spot lighting

Output LED power supply

Output specification LED power supply

- IP67
- SELV (Safety Extra Low Voltage)
- Class 2

Ceiling module power supply

- Supply pipe 7 m
- LED colour temperature approx. 3000 K
- Bulbs protected against splashing water
- Provided by customer: Light switch

Environment






Planning tips:

- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Notes:

- Recommended control element: xTool
- Contains energy efficiency class bulbs

Pre-assembly kit for three-way diverter included

	Brushed Champagne (22kt Gold)	41 750 979-46 0050
	Chrome	41 750 979-00 0050
	Brushed Platinum	41 750 979-06 0050
	Matte Black	41 750 979-33 0050
	Champagne (22kt Gold)	41 750 979-47 0050

SERIES-VARIOUS AQUAHALO Rain panel - Brushed Champagne (22kt Gold) SERIES-VARIOUS

41 750 979 Product version from 4/1/2024


Required miscellaneous



- | | |
|---|---------------|
| SERIES-VARIOUS AQUAHALO | 35 750 970-46 |
| Concealed ceiling installation box | 0050 |
| - Brushed Champagne (22kt Gold) | |
| <ul style="list-style-type: none"> •concealed rough parts •Ceiling installation enclosure 605 x 605 x 95 mm •Weight: 10 kg •min. recess depth 110 mm •Pre-assembly kit for three-way diverter included | |

SERIES-VARIOUS AQUAHALO Rain panel - Brushed Champagne (22kt Gold) SERIES-VARIOUS


41 750 979 Product version from 4/1/2024



SERIES-VARIOUS AQUAHALO Rain panel - Brushed Champagne (22kt Gold) SERIES-VARIOUS

41 750 979 Product version from 4/1/2024

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	2 90 12 05 087 00-46	casing	1.00	30
	1 90 28 22 605 01-46	distributor	4.00	30
	4 90 17 09 060 01 90	jet module	12.00	2
	10 90 17 09 061 01 90	jet module TEMPEST	8.00	2
	3 90 24 03 535 01 90	distributor	2.00	40
	7 90 24 03 535 00 90	distributor	2.00	2
	6 90 12 05 088 00-46	casing	1.00	30
	8 90 30 03 118 00 90	hose	1.00	2
	9 90 30 03 117 00 90	hose	1.00	40
	5 90 24 04 384 00 90	adaptor	20.00	2