

VAIA Washstand fitting with electronic opening and closing function without pop-up waste - Dark Chrome


VAIA

44 521 809



- Infrared sensor technology
- 167mm projection
- height of mixer 306 mm
- height up to aerator 221 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- circular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Indirect temperature control (undercounter)
- Control box included
- Adjustable sensor detection range
- Battery or plug-in power supply operated (batteries not included)
- 4x AA (1.5V) batteries required
- lead-free
- 1x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Batteries not included

| | | |
|--|--------------------------------|---------------|
|  | Dark Chrome | 44 521 809-19 |
|  | Chrome | 44 521 809-00 |
|  | Brushed Platinum | 44 521 809-06 |
|  | Platinum | 44 521 809-08 |
|  | Brushed Durabronze (23kt Gold) | 44 521 809-28 |
|  | Matte Black | 44 521 809-33 |
|  | Brushed Champagne (22kt Gold) | 44 521 809-46 |
|  | Champagne (22kt Gold) | 44 521 809-47 |
|  | Brushed Chrome | 44 521 809-93 |
|  | Brushed Dark Platinum | 44 521 809-99 |

VAIA Washstand fitting with electronic opening and closing function without pop-up waste - Dark Chrome

VAIA

44 521 809

mm [inches]

1:5



Flow rate chart



Certificates

Belgaqua_23-210- 27_1. LGA_38245. WRAS_2211011. GDV_0400278.

VAIA Washstand fitting with electronic opening and closing function without pop-up waste - Dark Chrome

VAIA

44 521 809

Parts for other
finishes can be found
here: [Chrome](#)

