

Towel warmer , 6-fold , projection left , without control element - Dark Chrome

SERIES SPECIFIC

83 306 980



- gauge 120 mm
- width 600mm
- height 660 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.







This appliance is a stationary electric space heater and, in order to comply with the mandatory ecodesign requirements of Commission Regulation (EU) 2024/1103, must be equipped with at least one control with control function TW(f2).

Without control element

Activation must be handled by the customer

Note: Different conditioning.

This appliance is a stationary electric space heater and, in order to comply with the mandatory ecodesign requirements of Commission Regulation (EU) 2024/1103, must be equipped with at least one control with control function TW(f2).

| | | |
|---|-------------------------------|---------------|
|  | Dark Chrome | 83 306 980-19 |
|  | Chrome | 83 306 980-00 |
|  | Matte Black | 83 306 980-33 |
|  | Brushed Champagne (22kt Gold) | 83 306 980-46 |
|  | Brushed Chrome | 83 306 980-93 |
|  | Brushed Dark Platinum | 83 306 980-99 |

Required miscellaneous



- Concealed wall installation box for 35 313 970 90 towel warmer , 6-fold , without control element -**
- min. recess depth 70 mm
 - max. recess depth 105 mm

Towel warmer , 6-fold , projection left , without control element - Dark Chrome **SERIES SPECIFIC**

83 306 980

