

Concealed single-lever mixer with integrated shower connection with shower set - Chrome

TARA

ST 050 205 6660



Fits: TARA, META

- cover plate Ø 78 mm
  - metal shower hose 1750mm with integrated anti-twist protection
  - slide bar
  - Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate l/min (at 3 bar)
  - spray head Ø 100mm
- Intrinsic protection against back flow.**

	Chrome	ST 050 205 6660-00
	Brushed Platinum	ST 050 205 6660-06
	Platinum	ST 050 205 6660-08
	Dark Chrome	ST 050 205 6660-19
	Brushed Durabronz (23kt Gold)	ST 050 205 6660-28
	Matte Black	ST 050 205 6660-33
	Brushed Bronze	ST 050 205 6660-42
	Brushed Chrome	ST 050 205 6660-93
	Brushed Dark Platinum	ST 050 205 6660-99

Individual components of this set

You need the following components for this set

1x 28 018 979-00



1x 36 013 660-00



## Concealed single-lever mixer with integrated shower connection with shower set - Chrome

TARA











ST 050 205 6660



- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 100mm
- 1/2" connection
- WRAS 2210003
- Function from: 7 l/min

Intrinsic protection against back flow.

Fits: IMO, LULU, MADISON, MEM, TARA, CL.1, LISSÉ, VAIA, META, CYO

	Chrome	28 018 979-0
	Chrome	28 018 979-00 005
	Brushed Platinum	28 018 979-06 005
	Platinum	28 018 979-08 005
	Dark Chrome	28 018 979-19 005
	Light Gold	28 018 979-26 005
	Light Gold	28 018 979-2
	Brushed Light Gold	28 018 979-27 005
	Brushed Light Gold	28 018 979-2
	Brushed Durabronze (23kt Gold)	28 018 979-28 005
	Matte Black	28 018 979-33 005
	Brushed Bronze	28 018 979-42 005
	Brushed Champagne (22kt Gold)	28 018 979-46 005
	Champagne (22kt Gold)	28 018 979-47 005
	Brushed Chrome	28 018 979-93 005
	Brushed Dark Platinum	28 018 979-99 005




# Concealed single-lever mixer with integrated shower connection with shower set - Chrome

TARA

ST 050 205 6660  
mm [inches]



Flow rate chart



## Certificates

WRAS\_2210

DVGW\_DW-  
6517DN0

LGA\_29



Concealed single-lever mixer with integrated shower connection with shower set - Chrome

TARA

ST 050 205 6660

Codes & Standards

DIN 4109	EN 1112	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		




## Concealed single-lever mixer with integrated shower connection with shower set - Chrome

---

TARA

ST 050 205 6660





Concealed single-lever mixer with integrated shower connection with shower set - Chrome

TARA

ST 050 205 6660

Spare parts list

Product version from 4/1/2024

No.	Item Number	Name	Quantity used	Delivery time
	09 23 01 039 90	sieve	1	2



Concealed single-lever mixer with integrated shower connection with shower set - Chrome

TARA

ST 050 205 6660



Fits: TARA, META

- cover plate Ø 78 mm
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- WRAS 2011027

**This article does not include a hand shower!**

**Intrinsic protection against back flow.**

**Article cannot be extended, please check the depth of the installation location!**

This article does not include a hand shower!

Intrinsic protection against back flow.

Article cannot be extended, please check the depth of the installation location!

	Chrome	36 013 660-0
	Brushed Platinum	36 013 660-0
	Platinum	36 013 660-0
	Dark Chrome	36 013 660-1
	Brushed Light Gold	36 013 660-2
	Brushed Durabronze (23kt Gold)	36 013 660-2
	Matte Black	36 013 660-3
	Brushed Champagne (22kt Gold)	36 013 660-4
	Champagne (22kt Gold)	36 013 660-4
	Brushed Chrome	36 013 660-9
	Brushed Dark Platinum	36 013 660-9




Concealed single-lever mixer with integrated shower connection with shower set - Chrome

TARA

ST 050 205 6660

0  
—  
6  
—  
8  
—  
9  
—  
:7  
—  
:8  
—  
:3  
—  
6  
—  
:7  
—  
:3  
—  
:9  
—


Required miscellaneous

- 

**Concealed wall mounting -**  
•max. recess depth 103 mm  
•min. recess depth 78 mm
- 35 003 970 90

**Concealed single-lever mixer with integrated shower connection with shower set - Chrome**

TARA



**Certificates**

Belgaqua\_21-025-2 LGA\_29

WRAS\_2011



Concealed single-lever mixer with integrated shower connection with shower set - Chrome

TARA

ST 050 205 6660

Codes & Standards


DIN 4109	EN 1717	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		

# Concealed single-lever mixer with integrated shower connection with shower set - Chrome

TARA

ST 050 205 6660

**Product version from 10/1/2023**





Concealed single-lever mixer with integrated shower connection with shower set - Chrome

TARA

ST 050 205 6660

Spare parts list

Product version from 10/1/2023

No.	Item Number	Name	Quantity used	Delivery time
	05 17 20 726 02 90	fixing set	12	2