

TARA Showerpipe with shower thermostat 220 mm - Brushed Platinum

TARA

ST 050 304 8892



- shower with fixed riser projection 452mm
- Rain shower: PURE RAIN, max. flow rate 7 l/min (at 3 bar)
- rain shower Ø 220 mm
- rain shower with anti-scale system
- Hand shower: COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 100mm
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 963mm
- height of fittings up to top edge of elbow 1267mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

	Brushed Platinum	ST 050 304 8892-06
	Chrome	ST 050 304 8892-00
	Chrome	ST 050 305 2892-00 0050
	Brushed Platinum	ST 050 305 2892-06 0050
	Platinum	ST 050 304 8892-08
	Platinum	ST 050 305 2892-08 0050
	Dark Chrome	ST 050 305 2892-19 0050
	Brushed Durabrass (23kt Gold)	ST 050 304 8892-28
	Brushed Durabrass (23kt Gold)	ST 050 305 2892-28 0050
	Matte Black	ST 050 304 8892-33
	Matte Black	ST 050 305 2892-33 0050
	Brushed Champagne (22kt Gold)	ST 050 305 2892-46 0050
	Champagne (22kt Gold)	ST 050 305 2892-47 0050
	Brushed Chrome	ST 050 305 2892-93 0050
	Brushed Dark Platinum	ST 050 304 8892-99
	Brushed Dark Platinum	ST 050 305 2892-99 0050

Individual components of this set

You need the following components for this set

1x 28 015 979-06



1x 34 459 892-06



TARA Showerpipe with shower thermostat 220 mm - Brushed Platinum

TARA





























ST 050 304 8892



- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 100mm
- 1/2" connection
- WRAS 2009011

Intrinsic protection against back flow.



Fits: IMO, LULU, MADISON, MEM, TARA,
CL.1, LISSÉ, VAIA, META, CYO

	Brushed Platinum	28 015 979-0
	Chrome	28 015 979-00 001
	Chrome	28 015 979-00 005
	Brushed Platinum	28 015 979-06 001
	Brushed Platinum	28 015 979-06 005
	Platinum	28 015 979-08 001
	Platinum	28 015 979-08 005
	Matte White	28 015 979-10 005
	Dark Chrome	28 015 979-19 001
	Dark Chrome	28 015 979-19 005
	Light Gold	28 015 979-26 005
	Light Gold	28 015 979-2
	Light Gold	28 015 979-26 001
	Brushed Light Gold	28 015 979-27 005
	Brushed Light Gold	28 015 979-2
	Brushed Light Gold	28 015 979-27 001
	Brushed Durabronze (23kt Gold)	28 015 979-28 001
	Brushed Durabronze (23kt Gold)	28 015 979-28 005
	Matte Black	28 015 979-33 001
	Matte Black	28 015 979-33 005
	Brushed Bronze	28 015 979-42 001
	Brushed Bronze	28 015 979-42 005
	Brushed Champagne (22kt Gold)	28 015 979-46 001
	Brushed Champagne (22kt Gold)	28 015 979-46 005
	Champagne (22kt Gold)	28 015 979-47 001
	Champagne (22kt Gold)	28 015 979-47 005
	Brushed Chrome	28 015 979-93 001
	Brushed Chrome	28 015 979-93 005

TARA Showerpipe with shower thermostat 220 mm - Brushed Platinum

TARA

ST 050 304 8892

	Brushed Dark Platinum	28 015 979-99 001
	Brushed Dark Platinum	28 015 979-99 005



TARA Showerpipe with shower thermostat 220 mm - Brushed Platinum

TARA

ST 050 304 8892

0
—
0
—

ST 050 304 8892

mm [inches]



Flow rate chart



Certificates

WRAS_2009

DVGW_DW-
6517DN0

LGA_29



TARA Showerpipe with shower thermostat 220 mm - Brushed Platinum

TARA

ST 050 304 8892

Codes & Standards

DIN 4109	EN 1112	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		

Product version from 4/1/2024

Parts for other
finishes can be found
here: [Chrome](#)





TARA Showerpipe with shower thermostat 220 mm - Brushed Platinum

TARA

ST 050 304 8892

Spare parts list

Product version from 4/1/2024

No.	Item Number	Name	Quantity used	Delivery time
	09 23 01 039 90	sieve	1	2

TARA Showerpipe with shower thermostat 220 mm - Brushed Platinum

TARA

ST 050 304 8892



Fits: TARA, VAIA, META

- shower with fixed riser projection 452mm
- overhead shower: rain flow
- rain shower Ø 220 mm
- rain shower with anti-scale system
- max. rainshower flow 7 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 963mm
- height of fittings up to top edge of elbow 1267mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm
- quick clearing
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS 2204013

This article does not include a hand shower!

Intrinsic protection against back flow.

	Brushed Platinum	34 459 892-0
	Chrome	34 459 892-0
	Chrome	34 459 892-00 005
	Brushed Platinum	34 459 892-06 005
	Platinum	34 459 892-0
	Platinum	34 459 892-08 005
	Dark Chrome	34 459 892-1
	Dark Chrome	34 459 892-19 005
	Brushed Light Gold	34 459 892-27 005
	Brushed Light Gold	34 459 892-2
	Brushed Durabrass (23kt Gold)	34 459 892-2
	Brushed Durabrass (23kt Gold)	34 459 892-28 005
	Matte Black	34 459 892-3
	Matte Black	34 459 892-33 005
	Brushed Bronze	34 459 892-4
	Brushed Bronze	34 459 892-42 005
	Brushed Champagne (22kt Gold)	34 459 892-4
	Brushed Champagne (22kt Gold)	34 459 892-46 005
	Champagne (22kt Gold)	34 459 892-4
	Champagne (22kt Gold)	34 459 892-47 005
	Brushed Chrome	34 459 892-9
	Brushed Chrome	34 459 892-93 005
	Brushed Dark Platinum	34 459 892-9
	Brushed Dark Platinum	34 459 892-99 005




TARA Showerpipe with shower thermostat 220 mm - Brushed Platinum

TARA


ST 050 304 8892

6
—
0
—
0
—
0
—
8
—
0
—
9
—
0
—
0
—
7
—
8
—
0
—
3
—
0
—
2
—
0
—
6
—
0
—
7
—
0
—
3
—
0
—
9
—
0
—

ST 050 304 8892



Flow rate chart



Certificates

WRAS_2204 Belgaqua_21-032-2 LGA_38

Codes & Standards


DIN 4109	EN 1717	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		

ST 050 304 8892

Product version up to 9/10/2020

Product version from 9/10/2020

Parts for other finishes can be found here: [Chrome](#)



ST 050 304 8892

Spare parts list

Product version up to 9/10/2020

Product version from 9/10/2020

No.	Item Number	Name	Quantity used	Delivery time
	04 12 05 092 00-06	shower	15	10