

## Bath cascade spout for wall mounting - Brushed Dark Brass

SERIES SPECIFIC

13 430 740



- 200mm projection
- cascade
- plate 180 mm x 60 mm
- hole diameter 40 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure
- WRAS

|  |                                |               |
|--|--------------------------------|---------------|
|   | Brushed Dark Brass             | 13 430 740-39 |
|   | Chrome                         | 13 430 740-00 |
|   | Brushed Platinum               | 13 430 740-06 |
|   | Platinum                       | 13 430 740-08 |
|   | Dark Chrome                    | 13 430 740-19 |
|   | Brushed Durabronze (23kt Gold) | 13 430 740-28 |
|   | Matte Black                    | 13 430 740-33 |
|   | Brushed Champagne (22kt Gold)  | 13 430 740-46 |
|   | Champagne (22kt Gold)          | 13 430 740-47 |
|  | Brushed Dark Platinum          | 13 430 740-99 |

13 430 740

mm [inches]



Flow rate chart



Trajectory diagram



## Codes & Standards

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



Bath cascade spout for wall mounting - Brushed Dark Brass

SERIES SPECIFIC

---

13 430 740

Certificates and sustainability

---

LGA\_19

WRAS\_240502

13 430 740

Parts for other  
finishes can be found  
here: [Chrome](#)

