

META Bath spout for wall mounting - Brushed Light Gold

META

13 801 660 Product version from 5/28/2021



- 200mm projection
- circular normal flow
- rosette Ø 60 mm
- hole diameter 37 mm
- 1/2" connection
- max. flow 24.6 l/min at 3 bar flow pressure
- WRAS

| | | |
|---|-------------------------------|---------------|
|  | Brushed Light Gold | 13 801 660-27 |
|  | Chrome | 13 801 660-00 |
|  | Brushed Platinum | 13 801 660-06 |
|  | Dark Chrome | 13 801 660-19 |
|  | Light Gold | 13 801 660-26 |
|  | Matte Black | 13 801 660-33 |
|  | Brushed Bronze | 13 801 660-42 |
|  | Brushed Champagne (22kt Gold) | 13 801 660-46 |
|  | Champagne (22kt Gold) | 13 801 660-47 |
|  | Brushed Chrome | 13 801 660-93 |
|  | Brushed Dark Platinum | 13 801 660-99 |

Recommended miscellaneous

Concealed wall elbow -


35 085 970 90




- min. recess depth 90 mm
- max. recess depth 163 mm

13 801 660 Product version from 5/28/2021

mm [inches]



Flow rate chart



Codes & Standards

Scottish Water
Byelaws

UK Water Supply
Regulations



META Bath spout for wall mounting - Brushed Light Gold

META

13 801 660 Product version from 5/28/2021

Certificates and sustainability

WRAS_250402

