

TARA Hand shower set with individual rosettes - Platinum

TARA

27 802 892 Product version from 7/1/2022



- COMPACT RAIN, max. flow rate 8 l/min (at 3 bar)
- with anti-scale system
- 1/2" shower outlet
- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

| | | |
|---|-------------------------------|--------------------|
|  | Platinum | 27 802 892-08 0050 |
|  | Chrome | 27 802 892-00 0050 |
|  | Brushed Platinum | 27 802 892-06 0050 |
|  | Dark Chrome | 27 802 892-19 0050 |
|  | Brushed Durabrass (23kt Gold) | 27 802 892-28 0050 |
|  | Matte Black | 27 802 892-33 0050 |
|  | Brushed Bronze | 27 802 892-42 0050 |
|  | Brushed Champagne (22kt Gold) | 27 802 892-46 0050 |
|  | Champagne (22kt Gold) | 27 802 892-47 0050 |
|  | Brushed Chrome | 27 802 892-93 0050 |
|  | Brushed Dark Platinum | 27 802 892-99 0050 |

Recommended miscellaneous

Concealed wall elbow -


35 085 970 90




- max. recess depth 163 mm
- min. recess depth 90 mm


27 802 892 Product version from 7/1/2022

mm [inches]



Flow rate chart





Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|--|---------------|---------------|
| 1 | 28 450 892-08 | connection | 1.00 | 60 |
| 3 | 28 050 892-08 | TARA Wall bracket - Platinum | 1.00 | 40 |
| 2 | 28 104 970-08 | Metal shower hose 1/2" x 1/2" x 1250 mm - Platinum | 1.00 | 40 |
| 4 | 90 12 11 140 41-08 | shower | 1.00 | 40 |