

**SERIES SPECIFIC Hand shower set - Matte Black**

**SERIES SPECIFIC**

27 806 625 Product version from 7/1/2022



- COMPACT RAIN, max. flow rate 8 l/min (at 3 bar)
- with anti-scale system
- rosette Ø 55 mm
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 55mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

	Matte Black	27 806 625-33 0050
	Chrome	27 806 625-00 0050
	Brushed Platinum	27 806 625-06 0050
	Dark Chrome	27 806 625-19 0050
	Light Gold	27 806 625-26 0050
	Brushed Light Gold	27 806 625-27 0050
	Brushed Durabrass (23kt Gold)	27 806 625-28 0050
	Brushed Bronze	27 806 625-42 0050
	Brushed Champagne (22kt Gold)	27 806 625-46 0050
	Champagne (22kt Gold)	27 806 625-47 0050
	Brushed Chrome	27 806 625-93 0050
	Brushed Dark Platinum	27 806 625-99 0050

**Recommended miscellaneous**



- Concealed wall elbow -**
- max. recess depth 163 mm
  - min. recess depth 90 mm


35 085 970 90

**Recommended miscellaneous**





**Wall elbow - Matte Black**

28 450 625-33



**Flow rate chart**





Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
2	90 30 02 072 00-33	Metal shower hose 1/2" x 3/8" x 1250 mm - Matte Black	1.00	30
3	28 050 625-33	Wall bracket - Matte Black	1.00	10
1	90 12 11 140 41-33	shower	1.00	30