

SERIES SPECIFIC Hand shower set - Brushed Dark Brass

SERIES SPECIFIC

27 806 625

Product version from 7/1/2022



- COMPACT RAIN, max. flow rate 8 l/min (at 3 bar)
 - with anti-scale system
 - rosette Ø 55 mm
 - metal shower hose 1250mm with integrated anti-twist protection
 - shower holder rosette Ø 55mm
 - This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Intrinsic protection against back flow.

	Brushed Dark Brass	27 806 625-39 0050
	Chrome	27 806 625-00 0050
	Brushed Platinum	27 806 625-06 0050
	Dark Chrome	27 806 625-19 0050
	Light Gold	27 806 625-26 0050
	Brushed Light Gold	27 806 625-27 0050
	Brushed Durabrass (23kt Gold)	27 806 625-28 0050
	Matte Black	27 806 625-33 0050
	Brushed Bronze	27 806 625-42 0050
	Brushed Champagne (22kt Gold)	27 806 625-46 0050
	Champagne (22kt Gold)	27 806 625-47 0050
	Brushed Chrome	27 806 625-93 0050
	Brushed Dark Platinum	27 806 625-99 0050

Recommended miscellaneous



- Concealed wall elbow -

•min. recess depth 90 mm

•max. recess depth 163 mm


35 085 970 90




- Recommended miscellaneous


Wall elbow - Brushed Dark Brass

28 450 625-39



Flow rate chart





Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
3	28 050 625-39	Wall bracket - Brushed Dark Brass	1.00	30
2	90 30 02 072 00-39	hose	1.00	30
1	90 12 11 140 41-39	shower	1.00	30