

27 808 809



- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow Ø 60mm
- rosette for shower holder Ø 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

	Brushed Durabronz (23kt Gold)	27 808 809-28 0050
	Chrome	27 808 809-00 0050
	Brushed Platinum	27 808 809-06 0050
	Platinum	27 808 809-08 0050
	Dark Chrome	27 808 809-19 0050
	Brushed Bronze	27 808 809-42 0050
	Brushed Champagne (22kt Gold)	27 808 809-46 0050
	Champagne (22kt Gold)	27 808 809-47 0050
	Brushed Dark Platinum	27 808 809-99 0050

**Recommended miscellaneous**




**Concealed wall elbow -**

35 085 970 90

- max. recess depth 163 mm
- min. recess depth 90 mm

27 808 809


mm [inches]



**Flow rate chart**



Product version from 7/1/2022





VAIA Hand shower set with individual rosettes - Brushed Durabronz (23kt Gold)

VAIA

27 808 809

**Spare parts list**

**Product version from 7/1/2022**

No.	Item Number	Name	Quantity used	Delivery time
	90 12 11 140 30-28	shower	5	20