

27 808 809



- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow Ø 60mm
- rosette for shower holder Ø 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- WRAS 1810007

Intrinsic protection against back flow.

	Brushed Dark Platinum	27 808 809-99
	Chrome	27 808 809-00 0050
	Brushed Platinum	27 808 809-06 0050
	Platinum	27 808 809-08 0050
	Dark Chrome	27 808 809-19 0050
	Brushed Durabronze (23kt Gold)	27 808 809-28 0050
	Brushed Bronze	27 808 809-42 0050
	Brushed Champagne (22kt Gold)	27 808 809-46 0050
	Champagne (22kt Gold)	27 808 809-47 0050
	Brushed Dark Platinum	27 808 809-99 0050


Recommended miscellaneous

- Concealed wall elbow -** 35 085 970 90
- max. recess depth 163 mm
 - min. recess depth 90 mm



27 808 809

mm [inches]



Flow rate chart




Certificates

LGA_28437.

LGA_29985.

Belgaqua_22_280_2 WRAS_1810007.
7_7.

27 808 809



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	28 019 979-99	Hand shower - Brushed Dark Platinum	1	30
2	28 450 809-99	VAIA Wall elbow - Brushed Dark Platinum	1	30
3	28 050 809-99	VAIA Wall bracket - Brushed Dark Platinum	1	30
4	90 14 20 026 00 90	seal	1	2
5	90 30 02 072 00-99	Metal shower hose 1/2" x 3/8" x 1250 mm - Brushed Dark Platinum	1	30