

IMO

27 821 979



- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- with volume control
- rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2" wall elbow
- without hose

Intrinsic protection against back flow.

28 286 979-28

Product change as of 1.4.2023: max. flow 15 l/min

Brushed Durabrass (23kt Gold)	27 821 979-28
Chrome	27 821 979-00
Brushed Platinum	27 821 979-06
Platinum	27 821 979-08
Dark Chrome	27 821 979-19
Brushed Light Gold	27 821 979-27
Matte Black	27 821 979-33
Brushed Champagne (22kt Gold)	27 821 979-46
Champagne (22kt Gold)	27 821 979-47
Brushed Chrome	27 821 979-93
Brushed Dark Platinum	27 821 979-99

Recommended miscellaneous

Concealed wall elbow -

35 085 970 90 •max. recess depth 163 mm

•min. recess depth 90 mm

Required miscellaneous

WATER TUBE Kneipp hose white 2000 mm - Brushed Durabrass (23kt Gold)

- •with holding ring
- •hose nozzle with sleeve M33

Required miscellaneous

WATER TUBE Kneipp hose black 2000 mm - Brushed Durabrass (23kt Gold)


- •with holding ring
- •hose nozzle with sleeve M33


28 285 979-28






27 821 979 mm [inches]





Flow rate chart



Codes & Standards

EN 1717



IMO

27 821 979 Certificates

Belgaqua_22_280_2






27 821 979

Product version from 3/12/2018 to 3/6/2023

Product version from 3/6/2023





IMO

27 821 979

Spare parts list

Product version from 3/12/2018 to 3/6/2023

Product version from 3/6/2023