

















28 018 979



- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 100mm
- 1/2" connection
- WRAS 2210003
- Function from: 7 l/min



Intrinsic protection against back flow.

Fits: IMO, LULU, MADISON, MEM, TARA, CL.1, LISSÉ, VAIA, META, CYO


	Chrome	28 018 979-00
	Chrome	28 018 979-00 0050
	Brushed Platinum	28 018 979-06 0050
	Platinum	28 018 979-08 0050
	Dark Chrome	28 018 979-19 0050
	Light Gold	28 018 979-26 0050
	Light Gold	28 018 979-26
	Brushed Light Gold	28 018 979-27 0050
	Brushed Light Gold	28 018 979-27
	Brushed Durabronze (23kt Gold)	28 018 979-28 0050
	Matte Black	28 018 979-33 0050
	Brushed Bronze	28 018 979-42 0050
	Brushed Champagne (22kt Gold)	28 018 979-46 0050
	Champagne (22kt Gold)	28 018 979-47 0050
	Brushed Chrome	28 018 979-93 0050
	Brushed Dark Platinum	28 018 979-99 0050

28 018 979

mm [inches]



Flow rate chart




Certificates

LGA_29984.

DVGW_DW-
6517DN0129.

WRAS_2210003.

28 018 979



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 23 01 039 90	sieve	1	2