

Wall elbow - Brushed Durabronze (23kt Gold)

TARA











28 450 625



- 3/8" shower outlet
- rosette Ø 55 mm
- 1/2" connection
- WRAS 1811023

Intrinsic protection against back flow.

Fits: TARA, META

	Brushed Durabronze (23kt Gold)	28 450 625-28
	Chrome	28 450 625-00
	Brushed Platinum	28 450 625-06
	Platinum	28 450 625-08
	Dark Chrome	28 450 625-19
	Light Gold	28 450 625-03
	Brushed Light Gold	28 450 625-27
	Matte Black	28 450 625-33
	Brushed Bronze	28 450 625-42
	Brushed Champagne (22kt Gold)	28 450 625-46
	Champagne (22kt Gold)	28 450 625-47
	Brushed Chrome	28 450 625-93
	Brushed Dark Platinum	28 450 625-99

Recommended miscellaneous



**Concealed wall elbow -**

- max. recess depth 163 mm
- min. recess depth 90 mm


35 085 970 90

28 450 625

mm [inches]




### Flow rate chart



### Certificates

WRAS\_1811023. Belgaqua\_21-381- ACS\_20 ACC LY 739.  
27\_7.

28 450 625



### Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 14 10 026 00 90	seal	1	2
2	09 27 22 503-28	rosette	1	20
3	09 16 01 014 90	ring	1	2
4	90 23 01 141 00 90	back-flow preventer	2	2
5	09 11 03 036-28	connection	1	20
6	90 21 02 069 00-28	cover	1	20