











28 450 809



- 3/8" shower outlet
- rosette Ø 60 mm
- 1/2" connection
- WRAS 1810006

Intrinsic protection against back flow.

	Chrome	28 450 809-00
	Brushed Platinum	28 450 809-06
	Platinum	28 450 809-08
	Dark Chrome	28 450 809-19
	Brushed Durabrass (23kt Gold)	28 450 809-28
	Matte Black	28 450 809-33
	Brushed Bronze	28 450 809-42
	Brushed Champagne (22kt Gold)	28 450 809-46
	Champagne (22kt Gold)	28 450 809-47
	Brushed Dark Platinum	28 450 809-99

Recommended miscellaneous




**Concealed wall elbow -**

35 085 970 90

- max. recess depth 163 mm
- min. recess depth 90 mm

28 450 809

mm [inches]




Flow rate chart



Certificates

WRAS\_1810006. Belgaqua\_22\_280\_2 IAPMO\_4976 (4).  
7\_7.

28 450 809



### Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 27 80 021 00-00	rosette	1	10
2	09 16 01 014 90	ring	1	2
3	90 23 01 040 00 90	back-flow preventer	2	2
4	09 11 03 123-00	connection	1	10
5	90 21 02 069 00-00	cover	1	10