











28 450 809



- 3/8" shower outlet
- rosette Ø 60 mm
- 1/2" connection

Intrinsic protection against back flow.

	Brushed Dark Platinum	28 450 809-99
	Chrome	28 450 809-00
	Brushed Platinum	28 450 809-06
	Platinum	28 450 809-08
	Dark Chrome	28 450 809-19
	Brushed Durabronze (23kt Gold)	28 450 809-28
	Matte Black	28 450 809-33
	Brushed Bronze	28 450 809-42
	Brushed Champagne (22kt Gold)	28 450 809-46
	Champagne (22kt Gold)	28 450 809-47


Recommended miscellaneous

- Concealed wall elbow -** 35 085 970 90
- max. recess depth 163 mm
  - min. recess depth 90 mm




28 450 809

mm [inches]




Flow rate chart



Certificates

WRAS\_1810006. Belgaqua\_22\_280\_2 IAPMO\_4976 (4).  
7\_7.

28 450 809



### Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 27 80 021 00-99	rosette	1	30
2	09 16 01 014 90	ring	1	2
3	90 23 01 040 00 90	back-flow preventer	2	2
4	09 11 03 123-99	connection	1	30
5	90 21 02 069 00-99	cover	1	30