

Rain shower with ceiling fixing 300 mm - Brushed Chrome











IMO

28 689 970




- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Fits: IMO, TARA, LISSÉ, VAIA, META, CYO


| | | |
|---|-------------------------------------|--------------------|
|  | Brushed Chrome | 28 689 970-93 0050 |
|  | Chrome | 28 689 970-00 0050 |
|  | Brushed Platinum | 28 689 970-06 0050 |
|  | Platinum | 28 689 970-08 0050 |
|  | Dark Chrome | 28 689 970-19 0050 |
|  | Light Gold | 28 689 970-26 0050 |
|  | Brushed Light Gold | 28 689 970-27 0050 |
|  | Brushed Durabronze (23kt Gold) | 28 689 970-28 0050 |
|  | Matte Black | 28 689 970-33 0050 |
|  | Brushed Bronze | 28 689 970-42 0050 |
|  | Brushed Champagne (22kt Gold) | 28 689 970-46 0050 |
|  | Champagne (22kt Gold) | 28 689 970-47 0050 |
|  | Brushed Dark Platinum | 28 689 970-99 0050 |

28 689 970

mm [inches]




Flow rate chart



28 689 970

Parts for other finishes can be found here: [Chrome](#)



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 1 | 09 27 22 040-93 | rosette | 1 | 20 |
| 2 | 09 14 10 141 90 | seal | 1 | 2 |
| 3 | 09 11 03 080-93 | connection | 1 | 20 |
| 4 | 09 23 01 075 90 | insert | 1 | 2 |
| 5 | 04 12 05 091 10-93 | shower | 1 | 20 |
| 6 | 90 30 09 069 00 90 | key | 1 | 2 |