

Rain shower with ceiling fixing 300 x 240 mm - Chrome

IMO





28 775 980



- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- distance between ceiling and lower edge of the shower 165mm
- rosette 60 x 60, as required
- 1/2" connection
- with anti-scale system
- quick clearing
- WRAS 1707033

Fits: IMO, MEM, CL.1

Product change as of 1st April 2024: max. flow 20l/min

| | | |
|---|-------------------------------------|--------------------|
|  | Chrome | 28 775 980-00 |
| | | 28 775 980-27 0050 |
|  | Chrome | 28 775 980-00 0050 |
|  | Brushed Platinum | 28 775 980-06 0050 |
|  | Platinum | 28 775 980-08 0050 |
|  | Dark Chrome | 28 775 980-19 0050 |
|  | Brushed Light Gold | 28 775 980-27 |
|  | Brushed Durabrass (23kt Gold) | 28 775 980-28 0050 |
|  | Matte Black | 28 775 980-33 0050 |
|  | Brushed Champagne (22kt Gold) | 28 775 980-46 0050 |
|  | Champagne (22kt Gold) | 28 775 980-47 0050 |
|  | Brushed Chrome | 28 775 980-93 0050 |
|  | Brushed Dark Platinum | 28 775 980-99 0050 |

Recommended miscellaneous




- Concealed wall elbow -** 35 085 970 90
- max. recess depth 163 mm
 - min. recess depth 90 mm

28 775 980

mm [inches]



Flow rate chart



Certificates

LGA_29232. WRAS_2212012. LGA_38662.

28 775 980



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 1 | 09 27 98 017-00 | rosette | 1 | 10 |
| 2 | 90 11 10 092 00-00 | connection | 1 | 10 |
| 3 | 04 12 05 063 00-00 | shower | 1 | 10 |