



Shower thermostat for wall installation - Platinum

34 443 979



- 3/8" shower outlet
- slide-on rosettes Ø 70 mm
- 1/2" connection
- gauge 150 mm - 13 mm
- with volume control
- WRAS 2204005

Intrinsic protection against back flow.

	Platinum	34 443 979-08
	Chrome	34 443 979-00
	Brushed Platinum	34 443 979-06
	Dark Chrome	34 443 979-19
	Brushed Durabronze (23kt Gold)	34 443 979-28
	Matte Black	34 443 979-33
	Brushed Champagne (22kt Gold)	34 443 979-46
	Champagne (22kt Gold)	34 443 979-47
	Brushed Chrome	34 443 979-93
	Brushed Dark Platinum	34 443 979-99

Required miscellaneous

TARA Regulator handle - Platinum 11 431 892-08







Shower thermostat for wall installation - Platinum

34 443 979

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



Shower thermostat for wall installation - Platinum

34 443 979

Certificates

LGA_29

WRAS_2204

Belgaqua_22_281_2




Shower thermostat for wall installation - Platinum

34 443 979

Product version from 5/1/2022

Parts for other finishes can be found here: [Chrome](#)





Shower thermostat for wall installation - Platinum

34 443 979

Spare parts list

Product version from 5/1/2022

No.	Item Number	Name	Quantity used	Delivery time
	90 17 33 015 00-08	handle	18	40