

## Showerpipe with shower thermostat without hand shower - Chrome

SERIES SPECIFIC

34 459 980 Product version from 7/1/2022




- shower with fixed riser projection 453mm
- overhead shower: rain flow
- rain shower 300 x 240mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm
- quick clearing
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB


Intrinsic protection against back flow.

	Chrome	34 459 980-00 0050
	Brushed Platinum	34 459 980-06 0050
	Platinum	34 459 980-08 0050
	Dark Chrome	34 459 980-19 0050
	Brushed Light Gold	34 459 980-27 0050
	Brushed Durabrass (23kt Gold)	34 459 980-28 0050
	Matte Black	34 459 980-33 0050
	Brushed Dark Brass	34 459 980-39 0050
	Brushed Champagne (22kt Gold)	34 459 980-46 0050
	Champagne (22kt Gold)	34 459 980-47 0050
	Brushed Chrome	34 459 980-93 0050
	Brushed Dark Platinum	34 459 980-99 0050

34 459 980 Product version from 7/1/2022



### Flow rate chart




## Showerpipe with shower thermostat without hand shower - Chrome

SERIES SPECIFIC

34 459 980 Product version from 7/1/2022

Parts for other  
finishes can be found  
here: Brushed  
Platinum



### Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
9	12 570 970-00	Slide unit - Chrome	1.00	50
6	04 17 01 250 00-00	connection	1.00	10
1	04 12 05 063 10-00	shower	1.00	10
5	90 28 22 349 00-00	pipe	1.00	10
2	09 23 01 039 90	sieve	1.00	2
4	90 17 11 150 00-00	holder	1.00	10
10	28 322 970-00	Metal shower hose 1/2" x 3/8" x 1750 mm - Chrome	1.00	2
3	90 28 22 348 00-00	pipe	1.00	10
7	90 17 33 015 00-00	handle	1.00	10
8	90 14 20 026 00 90	seal	1.00	2