


## xGATE Concealed mixer valve with volume control -

---

35 691 970 90




- red brass, lead-free
- 2x female thread 1/2" connections
- 1x female thread 1/2" outlet
- dust cover
- 2x anti-water packing
- soundproofing
- gauge 60 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)
- WRAS

Only for use with basin spouts or hand shower

**xGATE Concealed mixer valve with volume control -**


35 691 970 90

mm [inches]



	min	max
Symetrics	103 [4\"/>	

**Flow rate chart**



**Codes & Standards**

DIN 4109

EN 200

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen

VA-Zeichen

XP P 41-280



## xGATE Concealed mixer valve with volume control -

---

35 691 970 90

### Certificates

---

ETA\_20


ACS\_21 ACC LY

LGA\_18

WRAS\_2106

**xGATE Concealed mixer valve with volume control -**

35 691 970 90



**Spare parts list**

No.	Item Number	Name	Quantity used	Delivery time
	1 04 30 31 024 01 90	fixing set	2	2
	2 09 30 30 152 90	screw	8	2
	3 09 30 11 139 90	disc	8	2
	4 09 17 20 094 90	holder	1	2
	5 09 11 11 033 90	accessories	1	60
	6 09 14 10 132 90	seal	3	2
	7 09 31 20 027 10-00	plug	3	10
	8 09 14 10 068 90	seal	1	2
	9 09 14 10 112 90	seal	1	2
	10 04 30 11 149 00 90	plug	1	2
	11 04 31 20 006 00 90	plug	1	2
	12 09 23 01 131 90	back-flow preventer	2	2
	13 90 14 10 077 00 90	seal	2	2
	14 09 24 04 224 10 90	nipple	2	2
	15 90 14 10 055 00 90	seal	2	2
	16 09 30 30 112 90	screw	3	2
	17 09 21 02 135 90	cap	1	2
	18 04 14 03 114 00 90	gasket kit	1	2
	19 04 17 20 100 00 90	fixing set	1	2
	20 09 17 20 100 90	holder	1	60